<u> </u>					I					Page 1 of
Form PTO-1449 (modified)			Atty. Docket No. UTXB:715US			I	Serial No. 10/620,278			
List of Patents and Publications for Applicant's			Applicant			10/02	0,4 /	8		
712f O1 T	atches an	iu į ublications lo	и Аррисанс	3	Barrett R. Ha	rvev	et al.			
INF	ORMATIC	ON DISCLOSURE	Statement	•						
•					Filing Date:			Grou	p:	
		several sheets if neces			July 15, 2003			1645		
U.		Documents	Fore	_	atent Document	ts				r Art
	See I	Page 1	٠ـــــــــــــــــــــــــــــــــــــ	50	ee Page 1				ee F	Page 1
			U.S. P	ate	nt Docume	ent	 S			
Exam. Init.	Ref. Des.	Document Number	Date		Name		Class	Sui Clas	- 1	Filing Date of App.
-	Al	5,233,409	8/03/93	Sch	wab		356	402	:	2/25/92
	A2	5,571,698	11/05/96	Lad	ner <i>et al</i> .	\dashv	435	69.7	,	6/18/93
	A3	5,780,279	7/14/98	Mat	hews et al.		435	172.	3	4/05/95
	A4	5,824,520	10/20/98	Mul	ligan-Kehoe		435	91.4	1	7/19/97
-	A5	5,837,500	11/17/98	Lad	ner et al.		435	69.7	,	4/03/95
	A6	5,922,545	7/13/99	Mat	theakis and Dow	er	435	6		7/29/97
		<u> </u>	Foreign	Pat	tent Docun	nei	nts			
Exam. Init.	Ref. Des.	Document Number	Date		Country	С	lass	Sub Class		Translation Yes/No
			•							
(Other .	Art (Includi	ng Auth	or,	Title, Date	Pe	ertine	nt Pa	ges	s, Etc.)
xam. Init.	Ref. Des.				Citatio	n				
M)	Cl				of antibody fragm J. Sci. USA, 97(20					tomolar antigen-
	C2		Burioni et al., "A new supbraction technique for molecular cloning or rare antiviral antibody specificities from phage display libraries," Res. Virol., 149:327-330, 1998.							
	C3	Burman et al., J. Bacteriol., "Murein and the outer penetration barrier of escheriachia coli K-12, proteus mirabilis, and pseudomonas aeruginosa," Journal of Bacteriology, 112(3):1364-1374, 1972.								
	C4	Chen et al., "Selection and analysis of an optimized anti-VEGF antibody: crystal structure of an affinity-matured Fab in complex with antigen," J. Mol. Biol., 293:865, 1999.								
1.1	C5		Chen et al., Nat. Biotechnol., "Isolation of high-affinity ligand-binding proteins by periplasmic expression with cytometric screening (PECS)," 19(6):537-542, 2001.							
V					·····				•	
5327293.1			///	,	1					
5327293.1 EXAMI		Manan	G 1-111		DATE CO	NSIF	ERED:	/1	1	-/212

Form PTO-1449 (modified)		Atty. Docket No. Serial No. UTXB:715US 10/620,278		
List of Patents and Publications for	Applicant's	Applicant Barrett R. Harvey et al.		
INFORMATION DISCLOSURE STATEMENT				
(Use several sheets if necessa	гу)	Filing Date: July 15, 2003	Group: 1645	
U.S. Patent Documents Foreign		Patent Documents	Other Art	
See Page 1		ee Page 1	See Page 1	

Exam. Init.	Ref. Des.	Citation
M	C6	Chen et al., "In vitro scanning saturation mutagenesis of all the specificity determining residues in an antibody binding site," Protein Eng., 12(4):349-356, 1999.
	C7	Chowdhury and Pastan, "Improving antibody baffinity by mimicking somatic hypermutation in vitro," Nat. Biotech., 17:568, 1999.
ì	C8	Coia et al., "Use of mutator cells as a means for increasing production levels of a recobinant antibody directed against Hepititis B," Gene, 201:203, 1997.
	C9	Corey et al., "Trypsin display on the surface of bacteriophage," Gene, 128:129, 1993.
	C10	Dall'Aqua and Carter, "Antibody engineering," Curr. Opin. Struct. Biol., 8:443, 1998.
-	C11	Daugherty et al., "Flow cytometric screening of cell-based libraries," J. Immunol. Methods, 243:211, 2000.
	C12	Daugherty et al., "Quantitative analysis of the effect of the mutation frequency on the affinity maturation of single chain Fv antibodies," Proc. Natl. Acd. Sci. USA, 97:2029-2034, 2000.
	C13	Daugherty et al., "Development of an optimized expression system for the screening of antibody libraries displayed on the Escherichia coli surface," Protein Eng., 12:613-621, 1999.
	C14	de Haard et al., "A large non-immunized human fab fragment phage library that permits rapid isolation and kinetic analysis of high affinity antibodies," J. Biol. Chem., 274:18218, 1999.
	C15	De Haard et al., "Creating and engineering human antibodies for immunotherapy," Advanced Drug Delivery Reviews, 31:5-31, 1998.
	C16	Decad and Nikaido, "Outer membrane of gram-negative bacteria," J. Bacteriol., 128:325, 1976.
	C17	Deng et al., "Selection of antibody single-chain variable fragments with improved carbohydrate binding by phage display," J. Biol. Chem., 269:9533, 1994.
	C18	Deng et al., "Basis for selection of improved carbohydrate-binding single-chain antibodies from synthetic gene libraries," Proc. Natl. Acad. Sci. USA, 92:4992, 1995.
	C19	deWilt et al., "Antibody arrays for high-throughput acreening of antibody-antigen interactions," Nat. Biotechnol., 18:989, 2000.
\bigvee	C20	Dueñas and Borrebaeck, "Clonal selection and amplification of phage displayed antibodies by linking antigen recognition and phage recognition," <i>Biotechnology</i> , 12:999, 1994.

25327293.1		10	1		
Examiner:	ansow	Hond	DATE CONSIDERED:	4	15/04
			TATION IS IN CONFORMANCE WITH M		

Form PTO-1449 (modified)	Atty. Doc UTXB:71			
List of Patents and Publications for .	Applicant's Applicant			
•	Barrett R	Barrett R. Harvey et al.		
INFORMATION DISCLOSURE ST	ATEMENT			
(Use several sheets if necessar	Filing Dat July 15, 26			
U.S. Patent Documents	Foreign Patent Docur	nents Other Art		
See Page 1	See Page 1	See Page 1		

Exam. Init.	Ref. Des.	Citation
M	C21	Georgiou et al., "Display of heterologous proteins on the surface of microorganisms: from the screening of combinatorial libraries to live recombinant vaccines," Nat. Biotechnol., 15:29-34, 1997.
	C22	Georgiou, "Analysis of large libraries of protein mutants using flow cytometry," Adv. Protein Chem., 55:293-315, 2000.
	C23	Giep et al., "pSKAP/S: an expression vector for the production of single-chain Fv alkaline phosphatase fusion proteins," Prot. Exp. Purif., 16:63-69, 1999.
	C24	Griffiths et al., "Isolation of high affinity human antibodies directly from large synthetic repertoires," EMBO J., 13:3245-3260, 1994.
	C25	Hawkins et al., "Selection of phage antibodies by binding affinity mimicking affinity maturation," J. Mol. Biol., 226:889-896, 1992.
	C26	Hayhurst and Georgiou, "High-throughput antibody isolation," Curr. Opin. Chem. Biol., 5:683-689, 2001.
	C27	Hayhurst et al., "Isolation and expression of recombinant antibody fragments to the biological warfare pathogen brucella melitensis," J. Immunol. Methods, 276:185-196, 2003
	C28	Hayhurst, "Improved expression characteristics of single-chain Fv fragments when dowstream of the Escherichia coli maltose-binding protein or upstream of a single immunoglobulin-constant domain," <i>Protein Expr. Purif.</i> , 18:1-10, 2000.
	C29	Hoess, Chem. Rev., "Protein design and phage display," 101:3205-3218, 2001.
	C30	Hoichen et al., Applied and Environmental Microbiology, "Novel bacterial membrane surface display system using cell wall-less L-forms of proteys mirabilis and escherichia coli," 68(2):525-531, 2002.
	C31	Hudson et al., "Recombinant antibody fragments," Curr. Opin. Biotechnol., 9:395, 1998.
	C32	Hultgren et al., "Pilus and nonpilus bacterial adhesins: assembly and function in cell recognition," Cell, 73:887-901, 1993
	C33	Johns et al., "In vivo selection of sFv from phage display libraries," J. Immunol. Methods, 239:137-151, 2000.
	C34	Kjaer et al, "Glycerol diversities phage repertoire selections and lowers non-specific phage absorption," FEBS Lett., 431:448-452, 1998.
25327293.1		
Examin	VER:	Man Mat to Date Considered: 4/5/04

Form PTO-1449 (modified)	Atty. Docket No. UTXB:715US	Serial No. 10/620,278
List of Patents and Publications for	Barrett R. Harvey e	t al.
Information Disclosure S	TATEMENT	
(Use several sheets if necessa	Filing Date: July 15, 2003	Group: 1645
U.S. Patent Documents See Page 1	Foreign Patent Documents See Page 1	Other Art See Page 1

Exam. Init.	Ref. Des.	Citation
WH	C35	Knappik et al., "Fully synthetic human embinatorial antibody libraries(HuCAL) based on modular consensus frameworks and CDRs randomized with trinucleotides," J. Mol. Biol., 296:57-86, 2000.
.	C36	Krebber et al., "Inclusion of an upstream transcriptional terminator inphage display vectors abolishes backgroud expression of toxic fusions with coat protein g3p," Gene, 178:71-74, 1996
	C37	Krebber et al., "Reliable cloning of functional antibody variable domains form hybridomas and spleen cell repertoires employing a reengineered phage display system," J. Immunol. Methods, 201:35-55, 1997.
	C38	Levitan, "Stochastic modeling and optimization of phage display," J. Mol. Biol., 277:893-916, 1998.
	C39	Low et al., "Mimicking somatic hypermutation: affinity maturation of antibodies displayed on bacteriophage using a bacterial mutator strain," J. Mol. Biol., 260: 359-368, 1996.
	C40	MacKenzie and To, "The role of valency in the selection of anti-carbohydrate single-chain Fvs from phage display libraries," J. Immunol. Methods, 220:39-49, 1998.
	C41	MacKenzie et al., "Analysis by surface plasmon resonance of the influence of valence on the ligand binding affinity and kinetics of an anti-carbohydrate antibody," J. Biol. Chem., 271(3):1527-1533, 1996.
·	C42	Maenaka et al., "A stable phage-display system using a phagemid vector: phage display of hen egg-white lysozyme (HEL), Escherichia coli alkaline, phosphatase, and anti-HEL monoclonal antibody, HyHEL10," Biochem. Biophys. Res. Commun., 218:682, 1996.
	C43	Malmborg et al., "Selection of binders form phage displayed antibody libraries using the BIAcore biosensor," J. Immunol. Methods, 198:51-57, 1996.
	C44	Maynard and Georgiou, "Antibody Engineering," Annu. Rev. Biomed. Eng., 339-76, 2000.
_	C45	Maynard et al., "Protection against anthrax toxin by recombinant antibody fragments correlates with antigen affinity," Nat. Biotechnol., 20:597-601, 2002.
	C46	Mingarro et al., "Membrane-protein engineering," Trends Biotechnol., 15:432-437, 1997.
	C47	Miroux and Walker, "Over-production of proteins in Escherichia coli: mutant hosts that allow synthesis of some membrane proteins and globular proteins at high levels," J. Mol. Biol., 260:289/298, 1996.
25327293.1		// // // // // // // // // // // // //

EXAMINER:

✓ DATE CONSIDERED

04/5/04

Form PTO-1449 (modified)	Atty. Docket No. UTXB:715US	Serial No. 10/620,278
List of Patents and Publications for	Applicant's Applicant	
	Barrett R. Harvey e	t al.
Information Disclosure ST	FATEMENT	
(Use several sheets if necessa	Filing Date: July 15, 2003	Group: 1645
U.S. Patent Documents	Foreign Patent Documents	Other Art
See Page 1	See Page 1	See Page 1

Exam.	Ref. Des.	Citation
111	C48	Mutuberria et al., "Model systems to study the parameters determining the success of phage antibody selections on complex antigens," J. Immunol. Methods, 231:65-81, 1999.
	C49	Nikaido and Vaara, "Molecular basis of bacterial outer membrane permeability," <i>Microbiol. Rev.</i> , 49(1):1-32, 1985.
	C50	Nikaido, "Multidrug efflux pumps of gram-negative bacteria," Journal of Bacteriology, 178(20):5853-5859, 1996.
	C51	Oliver, "Periplasm," 88-103, 1996.
	C52	Pini et al., "Design and use of a phage display library," J. Biol. Chem., 273(34):21769, 1998.
	C53	Pugsley, "The complete general secratory pathway in gram-negative bacteria," <i>Microbiol. Rev.</i> , 57(1):50-108, 1993.
	C54	Rodi and Makowski, "Phage-display technology-finding a needle in a vast molecular haystack," Curr. Opin. Biotechnol., 10:87-93, 1999.
	C55	Sagt et al., "Impaired cutinase secretion in Saccharomyces cerevisiae induces irregular endoplasmic reticulum (ER) membran proliferation, oxidative stress, and ER-associated degradation," Appl. Environ. Microbiol., 68(5):2155-2160, 2002.
	C56	Sblattero and Bradbury, "Exploiting recombination in single bacteria to make large phage antibody libraries," Nat. Biotechnol., 18:75-80, 2000.
	C57	Seydel et al., "Testing the '2+ rule' for lipoprotein sorting in the Escherichia coli cell envelope with a new genetic selection," Mol. Microbiol., 34(4):810-821, 1999.
	C58	Sheets et al., "Efficient construction of a large nonimmune phage antibody library: the production of high-affiity human single-chain antibodies to protien antigens," Proc. Natl. Acad. Sci. USA, 95:6157-6162, 1998.
	C59	Shusta et al., "Yeast polypeptide fusion surface display levels predict thermal stability and soluble secreation efficiency," J. Micro. Biol., 292:949-956, 1999.
	C60	Stathopoulos et al., "Characterization of Escherichia coli expressing an Lpp'OmpA(46-159)-PhoA fusion protein localized in the outer membrane," Appl. Microbiol. Biotechnol., 45:112-119, 1996.

25327293.1 **EXAMINER:**(DATE CONSIDERED: 4/5/04

Form PTO-1449 (modified) List of Patents and Publications for Applicant's INFORMATION DISCLOSURE STATEMENT		Atty. Docket No. Serial No. UTXB:715US 10/620,278		
		Applicant Barrett R. Harvey <i>et al</i> .		
(Use several sheets if necessa	гу)	Filing Date: July 15, 2003	Group: 1645	
		e Page 1	Other Art See Page 1	

Exam. Init.	Ref. Des.	Citation
M	C61	Thompson et al., "Affinity maturation of a high-affinity human monoclonal antibody agaisnt the third hypercvariable loop of human immunodeficiency virus: use of phage display to improve affinity and broaden strain reactivity," J. Mol. Biol., 256:77-88, 1996.
	C62	Vaughan et al., "Human antibodies with sub-nanometer affinites isolated from a large non-immunized phage display library," Nat. Biotechnol., 14:309-314, 1996.
	C63	Wittrup, "The single cell as a microplate well," Nat. Biotechnol., 18:1039-1040, 2000.
	C64	Yakushi et al., "Lethality of the covalent linkage between mislocalized major outer membrane lipoprotein and the poptidoglycan of Escherichia coli," <i>Journal of Bacteriology</i> , 179(9):2857, 1997.
	C65	Yakushi et al., "A new ABC transporter mediating the detachment of lipid-modified proteins from membranes," Nat. Cell. Biol., 2:212-218, 2000.
	C66	Yamaguchi, "A single amino acid determinant of the membrane localization of lipoproteins in E. coli," Cell, 53(3):423-432, 1988.
	C67	Yu et al., "Lipoprotein-28, a cytoplasmic membrane lipoprotein from Escherichia coli," J. Biol. Chem., 261(5):2284-2288, 1986.
	C68	Co-pending U.S. Patent Application Number 09/699,023 (UTSB:675US), filed on October 27, 2000.
V	C69	Co-pending U.S. Patent Application Number 10/620,049 (UTSB:721US), filed on July 15, 2002

25327293.1

EXAMINER:

DATE CONSIDERED:

4/5/04